

High capacity, user-friendly printing

Large media capacity and exceptional ease of use make the CY-02 the perfect dye sublimation photo printer for applications where infrequent media replenishment is a priority. With more prints possible due to the media capacity and easy media changing, the robust CY-02 printer ensures users spend less time at the printer and more time focusing on customers.

The CY-02 produces 700 4 x 6 inch (10 x 15cm) or 350 6 x 8 inch (15 x 20cm) prints per roll, while monitoring tools and drivers ensure users are in complete control of all printer functions at all times. .

- Paper load: Quick and easy media changing - drop-in paper loading and comfortable ribbon handling
- Media support: Larger media capacity with up to 700 prints per roll
- Two finishing options - glossy or matte surface selectable through printer driver
- User friendly - simple set up and easy media changing

Specification

Printing Technology

Dye sublimation thermal system with overcoat

Print Speed (maximum)

- 4 x 6 inches 12.4 seconds
- 6 x 8 inches 21.9 seconds
- 5 x 7 inches 19.9 seconds

Size (W x D x H) and Weight

- 322 x 351 x 281mm 13.8 kg

Printing modes

High Speed, High Quality

Print Sizes

- 4 x 6 inches, 101 x 152 mm
- 5 x 7 inches, 127 x 178 mm
- 6 x 8 inches, 152 x 203 mm

Print Capacity

- 4 x 6 inches 700 sheets per roll
- 5 x 7 inches, 350 sheets per roll
- 6 x 8 inches 350 sheets per roll

Resolution

- 300 dpi
- 600 dpi

CITIZEN

visualis

CY-02 Printer

Specification

Accessories And Options

- Head pens available
- Carry bags available
- Print manager software available

Operating Systems

- Windows 7 & 10
- Mac OS X


Applications

- Event Photography
- Kiosk & ID Solutions
- Theme Park Rides
- Photo Party Booths
- Government

Media

- CITIZEN CY-02 4 X 6
- CITIZEN CY-02 6x8

Scan me ...



visualis.co.uk



WWW.VISUALIS.CO.UK

Created July2021. Visualis is not responsible for any errors or omissions (E&O), or for the results obtained from the use of this information. All information is provided "as is", with no guarantee of completeness or accuracy.